



LIFO SOLAR LED GARDEN LIGHT


40W/50W/60W/80W



IP66



EXPLODED VIEW




INSTALLATION METHODS






SHOMO'O DUBAI

OVERVIEW



DETAILS:



50W-MPPT

Solar controller, charge faster



A-GRADE-BATTERY

A-grade-battery32700
Lithium battery,lower resistance,
over 2500 times cycle life




MICRO-WAVE SENSOR


Intelligent Control,save energy

LIGHT CONTROL

Automatically turns off during the day and turns on automatically at night



EASY MAINTANENCE





SHOMO'O DUBAI


APPLICATIONS

Widely applicable to plazas, villas, courtyard streets or park landscape roads, etc.




OPTICS

Tech. Support: Tell us the room length, width, height and the usage.
 We have an engineer team to respond the DIALUX simulations for lights quantity calculation and effects.
 ies files are available upon request.




Recommended Installation Height





SHOMO'O DUBAI

MAIN PARAMETERS



40W


50W

60W

80W

DIAGRAMS

Unit:mm



40W

50W

60W

80W

Model	Product Size	Solar Panel	Battery	Material	Install Height	Packing Size	Warranty
40W	650*650*220mm	6V/40W	3. 2V/48Ah	Aluminum Body	3-4 meters	670*670*160mm	3 years
50W	650*650*220mm	18V/50W	12. 8V/12Ah	Aluminum Body	4-5 meters	670*670*160mm	3 years
60W	740*740*240mm	18V/60W	12. 8V/18Ah	Aluminum Body	5-6 meters	760*760*180mm	3 years
80W	830*830*260mm	18V/80W	12. 8V/24Ah	Aluminum Body	6-7 meters	850*850*200mm	3 years

IP66 WATERPROOF



PACKAGING

EVA foam is lined inside the carton to achieve stronger shipping protection.

