



LED MODULE

HIGH QUALITY LED CHIPSTENSILE
ALUMINUM DESIGN



Ip66 Waterproof




Efficient Heat Dissipation



Free Assembly

100W Module



IP66 MODULE

DON'T FEAR THE THUNDERSTORM DAYS

The glue on LED chip & silicon-rubber ring provide double protection, insulating LEDs from the outside environment.



VARIOUS LIGHTING COMBINATIONS


A Variety Of Lamp Appearances Can Be Assembled



Used in landscape lights,
street lights, stadium lights,
and floodlights



THICK ENING AVIATION ALUMINUM



Efficient heat
dissipation is
more durable

LED MODULE PARAMETERS

120- 130LM/W



LED Model No	MZ-PT-100W
Power	100W
Lumen efficiency	120-130lm/w
Lumen	12000lm
Led Chips Qty	120pcs
Color Temperature	3500K/ 4000K/6000K
Input Voltage	AC100-277V / 50/60Hz
Led chips	Philips
Led Driver	Philips
Working Temperature	-25°C- +65°C
Product Size	350*100* 50mm
Waterproof class	Ip66
Material	Aluminum
Weight	1.6kgs
Packing Size	370*155*80mm/2pcs
Certificates	IECEE CE ROHS
Warranty	3 Years



PRODUCT DETAILS



1

PHILIPS LED CHIPS

High quality LED chips, delivering high luminous efficiency up to 120-130lm/w



2

FOLD TYPE HEAT SINK SURFACE

Fold type heat sink surface. Fold type heat sink surface, maximized heat dissipation area, fast heat dissipation speed.



3

PHILIPS DRIVER

Integration of the short circuit or overload protection and thermal protection to ensure that the power utilization, no video



PRODUCTION PLANT STRENGTH GUARANTEE



PRODUCT APPLICATION

Application

Stadium lighting,tunnel lighting,Municipal lighting
garden lighting,Landscape Lighting,Park lighting and more application scenarios



Stadium lighting



Tunnel lighting



Park lighting



Municipal lighting



Stadium lighting



Landscape Lighting